

SAFETY DATA SHEET

This SDS Complies With 29 CFR 1910.1200 (The Hazard Communication Standard)

Section I - Product & Company Identification

Product identifier

Product name : RF5050 w/WAX AND INHIBITOR

Product form: Liquid

Other means of identification: RF5050-WAXI

Relevant identified uses of the substance or mixture: Rust inhibitor

Details of the supplier of the safety data sheet

Eaton Chemical, Inc.

4124 NW Riverside Street Riverside, MO 64150

Phone: (816) 741-7985

Fax: (816) 741-0405

Email: custserv@eatonchemical.com

Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300

Section II – Hazards Identification

Classification

Flammable liquid (Category 3)

Serious eye damage/irritation (Category 2B)

Skin corrosion/irritation (Category 2)

Specific target organ toxicity-single exposure (Category 3), Narcotic effects

Aspiration hazard (Category 1)

Pictogram



Signal Word

DANGER !

Hazard Statements

Flammable liquid and vapor.

Causes skin irritation and may cause eye irritation

May cause drowsiness or dizziness.

May be fatal if swallowed and enters airways.

Precautionary Statements – Prevention

Keep away from open flames/hot surfaces- No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Wear protective gloves/protective clothing/eye protection/face protection
Wash exposed skin thoroughly after handling.
Avoid breathing mist/vapors/spray.
Use only in a well ventilated area.

Precautionary Statements – Response

In case of fire: Consider carbon dioxide, dry chemical, dry sand or alcohol resistant foam to extinguish.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs
IF ON SKIN: Take off contaminated clothing and wash before reuse. Wash skin with plenty of soap and water. If irritation occurs get medical advice/attention.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER/doctor if you feel unwell.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do not induce vomiting.

Precautionary Statements – Storage

Store in a well ventilated place. Keep container tightly closed. Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Section III –Composition/Information on ingredients

Mixture

Name	CAS NO.	%
Distillates(Petroleum), hydrotreated light	64742-47-8	40-50
Distillates(Petroleum), hydrotreated heavy naphthenic	64742-52-5	50-60
Calcium alkylarylsulfonate	proprietary	1-5

Any concentration shown as a range is to protect confidentiality or is due to process variation.

Section IV – First Aid Measures

First Aid Measures

Inhalation: Remove to fresh air. If breathing stops, provide artificial respiration. If symptoms persist, call a physician.

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists.

Ingestion: Rinse mouth. Call a POISON CENTER or doctor/physician. Immediate medical attention required.

Skin Contact: Remove contaminated clothing, wash with plenty of water. If skin irritation persists, call a physician.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms

May cause eye irritation.

Causes skin irritation.

May cause drowsiness or dizziness.

May be fatal if swallowed and enters airways.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians: Treat symptomatically.

Section V – Fire Fighting Measures

Suitable Extinguishing Media

Alcohol resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media: High volume water jet.

Specific Hazards Arising from the Chemical

In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, NIOSH approved and full protective gear.

Section VI –Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe area.

Methods and Material for Containment and Cleaning Up

Methods for Containment: Prevent further leakage or spillage if safe to do so. Contain spillage.

Methods for Cleaning Up: Collect with an electrically protected vacuum or by wet-brushing and place in container for disposal. Keep in suitable, closed containers for disposal.

Section VII – Handling & Storage

Precautions for Safe Handling

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use personal protection recommended in Section 8.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place.

Section VIII – Exposure Controls/ Personal Protection

Exposure Guidelines:

Chemical Name	CAS #	ACGIH TLV	OSHA PEL	NIOSH TWA
Distillates(Petroleum), hydrotreated light	64742-47-8	TWA: 200 ppm	No data available	No data available
Distillates(Petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA: 5 mg/m ³	PEL: 5 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³
Calcium alkylarylsulfonate	proprietary	No data available	No data available	No data available

Engineering Controls: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Respiratory Protection: Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Eye Protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Hand Protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Skin Protection: Prevent contact with shoes and clothing; use rubber apron and overshoes.

Other Protective Equipment: Eye wash stations and emergency showers should be available. The type and degree of personal protective equipment appropriate will depend on the specific work operation. Inspect and replace personal protective equipment at regular intervals; use professional care in their selection, use and care.

Section IX – Physical & Chemical Properties

Information on Basic Physical and Chemical Properties

Physical State

Liquid

Color

Colorless

Property

Values

pH

No data available

Melting Point/Freezing Point

No data available

Boiling Point/Boiling Range

148.9-230 ° C (300-446 ° F)

Flash Point

40.6° C (105° F) TCC

Evaporation Rate

No data available

Flammability (Solid,Gas)

n/a-liquid

Upper Flammable Limits

No data available

Lower Flammable Limits

No data available

Vapor Pressure

No data available g)

Vapor Density

No data available

Specific Gravity	0.81
Water Solubility	Negligible
Solubility in Other Solvents	No data available
Partition Coefficient	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Kinematic Viscosity	No data available
Dynamic Viscosity	No data available
Explosive Properties	Not an Explosive
Oxidizing Properties	No data available
Odor	Petroleum
Odor Threshold	No data available

Section X – Stability & Reactivity

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Reacts with strong oxidizing agents.

Conditions to Avoid

Heat, sparks, flames.

Extremes of temperature and direct sunlight.

Incompatible Materials Strong oxidizing agents, strong acids, caustics..

Hazardous Decomposition Products

Carbon dioxide, carbon monoxide.

Section XI - Toxicological information

Information on Likely Routes of Exposure

Product Information

Inhalation: Avoid breathing vapors or mists.

Eye Contact: Causes eye irritation

Skin Contact: Avoid contact with skin.

Ingestion: Harmful if swallowed.

Chemical Name	CAS #	Oral LD50	Dermal LD50	Inhalation LC50
Distillates(Petroleum), hydrotreated light	64742-47-8	>5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	No data available
Distillates(Petroleum), hydrotreated heavy naphthenic	64742-52-5	>5000 mg/kg (Rat)	>5000 mg/kg (Rabbit)	No data available
Calcium alkylarylsulfonate	proprietary	>5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	No data available

Chemical Name	Distillates(Petroleum), hydrotreated light	Distillates(Petroleum) , hydrotreated heavy naphthenic	Calcium alkylarylsulfonate
Skin corrosion/irritation	irritation	Not classified	Moderate irritation
Serious eye damage/irritation	Mild irritation	Not classified	irritation
Respiratory or skin sensitization	Not classified	Not classified	No data available
Mutagenicity	No data available	Not classified	No data available
Carcinogenicity	Not classified as a human carcinogen.	Not classified as a human carcinogen.	No data available
Reproductive toxicity	No data available	Not classified	No data available
Specific target organ toxicity- Single exposure	May cause drowsiness or dizziness	Not classified	No data available
Specific target organ toxicity- repeated exposure	Not classified	Not classified	No data available
Aspiration hazard	Aspiration hazard	Aspiration hazard	No data available

Section XII - Ecological information

There is no data available for this product as a whole.

Chemical Name	CAS #	Algae/aquatic plants	Fish	Aquatic invertebrates
Distillates(Petroleum), hydrotreated light	64742-47-8	No data available	LC50 2.2 mg/l 4 d	No data available
Distillates(Petroleum), hydrotreated heavy naphthenic	64742-52-5	No data available	No data available	No data available
Calcium alkylarylsulfonate	proprietary	No data available	No data available	No data available

Persistence and Degradability

No data available

Bioaccumulation

No data available

Mobility

No data available

Section XIII - Disposal considerations

WASTE DISPOSAL METHOD

Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State. Avoid discharge to sewers or waterways.

Section XIV - Transport information

DOT Proper Shipping Description:

Non-Bulk: Not regulated as a dangerous goods.

Section XV - Regulatory information

SARA Title III Section 311/312 (40CFR370): Fire and Acute health hazard.

SARA Title III Section 313 (40CFR372):None

CERCLA Status (40CFR302): None

RCRA Status(40CFR261.33): Not listed

TSCA Inventory Status: Included

OSHA/NTP/IARC Carcinogen Status: Not listed

Canadian DSL Status: All components not listed.

Chemicals Known to the State of California to Cause Cancer or Reproductive Toxicity:

This material is not known to contain a reportable chemical currently listed as carcinogens or reproductive toxins.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Distillates(Petroleum), hydrotreated light	Not listed	Not listed	Not listed
Distillates(Petroleum), hydrotreated heavy naphthenic	Not listed	X	Not listed
Calcium alkylarylsulfonate	Not listed	Not listed	Not listed

Section XVI - Other information

HMIS ratings: Health: 1 Flammability: 2 Reactivity: 0

Indication of changes: Revision – 1

Date Sheet Prepared: 12/11/2015

Other information: Author – EHS Administrator

The information herein is presented in good faith and believed to be correct as of the date hereof. However, the manufacturer makes no representation as to the completeness and accuracy thereof. Users must make their own determination as to the suitability of the product for their purposes prior to use.

No representations or warranty's, either express or implied of merchantability, fitness for a particular purpose or of any other nature with respect to the product or to the information herein is made hereunder. The manufacturer shall in no event be responsible for any damages of whatsoever nature directly or indirectly resulting from the publication or use of or reliance upon information contained herein.

END OF SDS